

Table II– Tables of cruising levels

The cruising levels to be observed when so required by this Rules are as follows:

- a) In areas where, on the basis of regional air navigation agreement and in accordance with conditions specified therein, a vertical separation minimum (VSM) of 300 m (1000 feet) is applied between FL 290 and FL 410 inclusive:*

Tracks							
From 000 degrees to 179 degrees**				From 180 degrees to 359 degrees**			
IFR Flights altitude		VFR Flights altitude		IFR Flights altitude		VFR Flights altitude	
FL	Feet	FL	Feet	FL	Feet	FL	Feet
10	1,000	—	—	20	2,000	—	—
30	3,000	—	—	40	4,000	45	4,500
50	5,000	35	3,500	60	6,000	65	6,500
70	7,000	75	7,500	80	8,000	85	8,500
90	9,000	95	9,500	100	10,000	105	10,500
110	11,000	115	11,500	120	12,000	125	12,500
130	13,000	135	13,500	140	14,000	145	14,500
150	15,000	155	15,500	160	16,000	165	16,500
170	17,000	175	17,500	180	18,000	185	18,500
190	19,000	195	19,500	200	20,000	205	20,500
210	21,000	215	21,500	220	22,000	225	22,500
230	23,000	235	23,500	240	24,000	245	24,500
250	25,000	255	25,500	260	26,000	265	26,500
270	27,000	275	27,500	280	28,000	285	28,500
290	29,000			300	30,000		
310	31,000			320	32,000		
330	33,000			340	34,000		
350	35,000			360	36,000		
370	37,000			380	38,000		

390	39,000			400	40,000		
410	41,000			430	43,000		
450	45,000			470	47,000		
490	49,000			510	51,000		
etc.	etc.			etc.	etc.		

*Except when, on basis of regional air navigation agreements, a modified table of cruising levels based on a nominal vertical separation minimum of 300 m (1000ft) is prescribed for use, under specified conditions, by aircraft operating above FL 410 within designated portions of the airspace.

**Except where, on the basis of regional air navigation agreements, from 090 to 269 degrees and from 270 to 089 degrees is prescribed to accommodate predominant traffic directions and appropriate transition procedures to be associated therewith are specified.

b) in other area

Tracks							
From 000 degrees to 179 degrees				From 180 degrees to 359 degrees			
IFR Flights altitude		VFR Flights altitude		IFR Flights altitude		VFR Flights altitude	
FL	Feet	FL	Feet	FL	Feet	FL	Feet
10	1,000	—	—	20	2,000	—	—
30	3,000	—	—	40	4,000	45	4,500
50	5,000	35	3,500	60	6,000	65	6,500
70	7,000	75	7,500	80	8,000	85	8,500
90	9,000	95	9,500	100	10,000	105	10,500
110	11,000	115	11,500	120	12,000	125	12,500
130	13,000	135	13,500	140	14,000	145	14,500
150	15,000	155	15,500	160	16,000	165	16,500
170	17,000	175	17,500	180	18,000	185	18,500
190	19,000	195	19,500	200	20,000	205	20,500
210	21,000	215	21,500	220	22,000	225	22,500

230	23,000	235	23,500	240	24,000	245	24,500
250	25,000	255	25,500	260	26,000	265	26,500
270	27,000	275	27,500	280	28,000	285	28,500
290	29,000	300	30,000	310	31,000	320	32,000
330	33,000	340	34,000	350	35,000	360	36,000
370	37,000	380	38,000	390	39,000	400	40,000
410	41,000	420	42,000	430	43,000	440	44,000
450	45,000	460	46,000	470	47,000	480	48,000
490	49,000	500	50,000	510	51,000	520	52,000
etc.	etc.	etc.	etc.	etc.	etc.	etc.	etc.