

Schedule 1

(1) Energy and Nutritional Value for Infant Formula

Item	Unit of Measurement	Lower limit	Upper limit
Energy	Kcal/100ml	60	70
Protein	g/100 kcal	1.8	3
Fat	g/100 kcal	4.4	6
Linoleic acid	mg/100 kcal	300	-
Alpha-linolenic acid	mg/100 kcal	50	-
Carbohydrate	g/100 kcal	9	14
Vitamin A	µg RE/100 kcal	60	180
Vitamin D ₃	µg/100 kcal	1	2.5
Vitamin E	mg α-TE/100 kcal	0.5	-
Vitamin K	µg/100 kcal	4	-
Vitamin B ₁	µg/100 kcal	60	-
Vitamin B ₂	µg/100 kcal	80	-
Niacin	mg/100 kcal	0.3	-
Vitamin B ₆	µg/100 kcal	35	-
Vitamin B ₁₂	µg/100 kcal	0.1	-
Pantothenic acid	mg/100 kcal	0.4	-
Folic acid	µg/100 kcal	10	-
Vitamin C	mg/100 kcal	10	-
Biotin	µg/100 kcal	1.5	-
Iron	mg/100 kcal	0.45	-
Calcium	mg/100 kcal	50	-
Phosphorus	mg/100 kcal	25	-
Magnesium	mg/100 kcal	5	-
Sodium	mg/100 kcal	20	60
Chlorine	mg/100 kcal	50	160
Potassium	mg/100 kcal	60	180
Manganese	µg/100 kcal	1	-
Iodine	µg/100 kcal	10	-
Selenium	µg/100 kcal	1	-
Copper	µg/100 kcal	35	-
Zinc	mg/100 kcal	0.5	-
Choline	mg/100 kcal	7	-
Inositol	mg/100 kcal	4	-
L-carnitine	mg/100 kcal	1.2	-

Notes:

1. The permissible margin of error of the values of energy and nutrition label in infant formula shall fall within the range between the upper limit and the lower limit specified in (1) of this Schedule.
2. The content of trans fat (acid) shall not exceed 3% of fat.
3. The ratio of linoleic acid to α -linolenic acid shall be between 5 and 15.
4. The ratio of calcium to phosphorus shall be between 1 and 2.
5. RE indicates "Retinol Equivalent".
6. α -TE indicates " α -Tocopherol Equivalent".
7. Niacin refers to nicotinic acid and nicotinamide.
8. Retinol contents shall be provided by preformed retinol, while any contents of carotenoids should not be included in the calculation and declaration of vitamin A activity.
9. The composition of infant formula for special medical purposes shall comply with the provisions in (1) of this Schedule, except for adjustments based on empirical evidence to cope with diseases, disorders or other medical conditions; nutrients like chromium and molybdenum may be taken in consideration based on the following regulations:

Item	Unit of Measurement	Lower limit	Upper limit
Chromium	$\mu\text{g}/100 \text{ kcal}$	1.5	-
Molybdenum	$\mu\text{g}/100 \text{ kcal}$	1.5	-

(2) Energy and Nutritional Value for Follow-up Infant Formula

Item	Unit of Measurement	Lower limit	Upper limit
Energy	Kcal/100ml	60	85
Protein	g/100 kcal	1.8	4.5
Fat	g/100 kcal	3	6
Linoleic acid	mg/100 kcal	300	-
Vitamin A	µg RE/100 kcal	75	225
Vitamin D	µg/100 kcal	1	3
Vitamin E	mg α-TE/100 kcal	0.5	-
Vitamin K ₁	µg/100 kcal	4	-
Vitamin B ₁	µg/100 kcal	40	-
Vitamin B ₂	µg/100 kcal	60	-
Niacin	mg/100 kcal	0.25	-
Vitamin B ₆	µg/100 kcal	45	-
Vitamin B ₁₂	µg/100 kcal	0.15	-
Pantothenic acid	mg/100 kcal	0.3	-
Folic acid	µg/100 kcal	4	-
Vitamin C	mg/100 kcal	8	-
Biotin	µg/100 kcal	1.5	-
Iron	mg/100 kcal	1	2
Calcium	mg/100 kcal	90	-
Phosphorus	mg/100 kcal	60	-
Magnesium	mg/100 kcal	6	-
Sodium	mg/100 kcal	20	85
Chlorine	mg/100 kcal	55	-
Potassium	mg/100 kcal	80	-
Iodine	µg/100 kcal	5	-
Zinc	mg/100 kcal	0.5	-

Notes:

1. The permissible margin of error of the values of energy and nutrition label in follow-up infant formula shall fall within the range between the upper limit and the lower limit specified in (2) of this Schedule.
2. Reference may be made to the limits specified for infant formula in cases of nutrients with no upper limit specified in the Schedule.
3. Each gram of protein shall contain no less than 0.015 mg of vitamin B₆.
4. The ratio of calcium to phosphorus shall be between 1.2 and 2.
5. RE indicates "Retinol Equivalent".
6. α-TE indicates "α-Tocopherol Equivalent".
7. Niacin refers to nicotinic acid and nicotinamide.