

附表五 人工調和混合氣(氮氧)潛水減壓表

下潛速率每分鐘 22.8公尺 (75呎)，上浮速率每分鐘 9.1公尺 (30呎)

潛水深度	滯底時間 分	抵達第一減壓站時間 分：秒	減壓站深度〔公尺(呎)〕及停留時間(分)																	艙內氧氣呼吸單元 (每單元30分鐘)
			除第一個氮氧/氧氣減壓站外，上浮時間包含在減壓時間之內																	
			57.9 (190)	54.9 (180)	51.8 (170)	48.8 (160)	45.7 (150)	42.7 (140)	39.6 (130)	36.6 (120)	33.5 (110)	30.5 (100)	27.4 (90)	24.4 (80)	21.3 (70)	18.3 (60)	15.2 (50)	12.2 (40)	9.1 (30)	
海底混合氣											50%氧氣					100%氧氣				
18.3公尺 (60呎) 氧氣濃度 最大40.0% 最小14.0%	10	2:00																	0	0
	20	2:00																	0	0
	30	2:00																	0	0
	40	2:00																	0	0
	60	0:40														10	11	16	1	
	80	0:40														10	13	22	2	
	100	0:40														10	16	27	2	
120	0:40														10	17	28	2		
21.3公尺 (70呎) 氧氣濃度 最大 40.0% 最小 14.0%	10	2:20																	0	0
	20	2:20																	0	0
	30	2:20																	0	0
	40	1:00														10	10	16	1	
	60	1:00														10	14	24	2	
	80	1:00														10	18	30	2	
	100	1:00														10	19	34	2	
120	1:00														10	21	37	2		
24.4公尺 (80呎) 氧氣濃度 最大38.0% 最小14.0%	10	2:40																	0	0
	20	2:40																	0	0
	25	2:40																	0	0
	30	1:20														10	11	16	1	
	40	1:20														10	13	21	2	
	60	1:20														10	18	32	2	
	80	1:20														10	21	38	2	
	100	1:20														10	24	42	3	
120	1:20														10	25	45	3		
27.4公尺 (90呎) 氧氣濃度 最大34.9% 最小14.0%	10	3:00																	0	0
	20	3:00																	0	0
	30	1:40														10	13	21	2	
	40	1:40														10	16	26	2	
	60	1:40														10	21	38	2	
	80	1:40														10	25	45	3	
	100	1:40														10	28	50	3	
120	1:40														10	29	52	3		
30.5公尺 (100呎) 氧氣濃度 最大32.3% 最小14.0%	10	3:20																	0	0
	15	3:20																	0	0
	20	2:00														10	11	17	1	
	30	2:00														10	15	24	2	
	40	2:00														10	18	32	2	
	60	2:00														10	25	44	3	
	80	2:00														10	28	52	3	
	100	2:00														10	31	56	3	
120	2:00														10	32	58	3		
33.5公尺 (110呎) 氧氣濃度 最大30.0% 最小14.0%	10	2:20														10	8	11	1	
	20	2:20														10	12	20	1	
	30	2:20														10	17	28	2	
	40	2:20														10	20	36	2	
	60	2:20														10	27	49	3	
	80	2:20														10	31	58	3	
	100	2:20														10	33	62	4	
	120	2:20														10	35	64	4	

36.6公尺 (120呎) 氧氣濃度 最大28.0% 最小14.0%	10	2:40													10	9	13	1
	20	2:40													10	14	23	2
	30	2:40													10	19	33	2
	40	2:40													10	23	42	3
	60	2:40													10	30	55	3
	80	2:40													10	34	63	4
	100	2:40													10	36	66	4
	以下極度暴露限於災難搶救時使用																	
120	2:40													10	10	35	65	4

39.6公尺 (130呎) 氧氣濃度 最大26.3% 最小14.0%	10	2:40														10	10	6	8	1	
	20	2:40															10	10	12	19	1
	30	2:40															10	10	18	30	2
	40	2:20												7		10	10	22	40	3	
	60	2:20												7		10	10	29	52	3	
	80	2:20												7		10	10	33	60	3	
	以下極度暴露限於災難搶救時使用																				
	100	2:20														7	10	10	35	64	4
120	2:20															7	11	11	35	66	4

42.7公尺 (140呎) 氧氣濃度 最大24.8% 最小14.0%	10	3:00															10	10	6	8	1
	20	3:00															10	10	12	19	1
	30	3:00															10	10	18	30	2
	40	2:40												7	10	10	22	40	2	2	
	60	2:40											7	10	10	29	52	3	3		
	80	2:40											7	10	10	33	60	3	3		
	以下極度暴露限於災難搶救時使用																				
	100	2:40											7	10	10	35	64	4	4		
120	2:40											7	11	11	35	66	4	4			

45.7公尺 (150呎) 氧氣濃度 最大23.4% 最小14.0%	10	3:20															10	10	7	8	1	
	20	3:00															7	10	10	14	22	2
	30	3:00															7	10	10	19	34	2
	40	3:00															7	10	10	24	44	3
	60	3:00															7	10	10	31	56	3
	80	3:00															7	10	10	35	64	4
	以下極度暴露限於災難搶救時使用																					
100	3:00															7	13	13	36	66	4	
120	3:00																9	16	16	36	66	5

48.8公尺 (160呎) 氧氣濃度 最大22.2% 最小14.0%	10	3:20														7	10	10	8	10	1	
	20	3:20														7	10	10	15	24	2	
	30	3:20														7	10	10	21	37	2	
	40	3:20														7	10	10	26	47	3	
	60	3:00													7	6	10	10	30	56	3	
	以下極度暴露限於災難搶救時使用																					
	80	3:00														7	9	10	10	35	66	4
	100	3:00														7	13	14	14	35	66	5
	120	3:00														7	17	17	17	36	66	5

51.8公尺 (170呎) 氧氣濃度 最大21.1% 最小14.0%	10	3:20															7	0	10	10	8	12	1	
	20	3:20															7	0	10	10	16	28	2	
	30	3:20															7	1	10	10	23	42	3	
	40	3:20															7	4	10	10	28	52	3	
	60	3:20															7	10	10	10	33	62	4	
	以下極度暴露限於災難搶救時使用																							
	80	3:20															9	14	14	14	35	66	4	
	100	3:00															7	5	18	18	18	36	66	5
	120	3:00															7	9	21	21	21	36	66	5

54.9公尺 (180呎) 氧氣濃度 最大20.1% 最小14.0%	10	3:40										7	0	10	10	9	14	1	
	20	3:40										7	0	10	10	17	30	2	
	30	3:40										7	4	10	10	25	45	3	
	40	3:20									7	0	8	10	10	30	54	3	
	60	3:20									7	5	11	11	11	35	64	4	
	以下極度暴露限於災難搶救時使用																		
	80	3:20										7	9	15	15	15	36	66	4
	100	3:20										7	13	19	19	19	36	66	5
	120	3:20										7	17	23	23	23	36	66	6

57.9公尺 (190呎) 氧氣濃度 最大19.2% 最小14.0%	10	4:00												7	0	10	10	10	15	1	
	20	3:40												7	0	2	10	10	19	34	2
	30	3:40												7	0	7	10	10	26	46	3
	40	3:40												7	4	9	10	10	31	56	3
	以下極度暴露限於災難搶救時使用																				
	60	3:40												7	9	13	13	13	34	62	4
	80	3:20												7	3	13	18	18	36	66	5
	100	3:20												7	6	16	21	21	36	66	6
	120	3:20												7	8	20	23	23	36	66	7

61.0公尺 (200呎) 氧氣濃度 最大18.4% 最小14.0%	10	4:00												7	0	0	10	10	11	17	1	
	20	4:00												7	0	4	10	10	20	36	2	
	30	3:40											7	0	3	7	10	10	27	50	3	
	40	3:40											7	0	7	10	10	10	31	58	3	
	以下極度暴露限於災難搶救時使用																					
	60	3:40												7	4	10	14	14	14	35	66	4
	80	3:40												7	8	14	18	18	18	36	66	5
	100	3:40												7	12	17	23	23	23	36	66	6
	120	3:40												8	15	21	23	23	23	36	66	7

64.0公尺 (210呎) 氧氣濃度 最大17.7% 最小10.0%	10	4:20												7	0	0	10	10	12	19	1	
	20	4:00												7	0	1	6	10	10	22	38	2
	30	4:00												7	0	6	7	10	10	29	53	3
	40	4:00												7	3	9	10	10	10	33	60	3
	以下極度暴露限於災難搶救時使用																					
	60	3:40												7	0	9	11	17	17	35	66	5
	80	3:40												7	3	11	15	20	20	36	66	6
	100	3:40												7	6	14	19	23	23	36	66	7
	120	3:40												7	8	18	23	23	23	36	66	7

67.1公尺 (220呎) 氧氣濃度 最大17.0% 最小10.0%	10	4:40												7	0	2	10	10	13	20	1	
	20	4:20											7	0	3	7	10	10	23	41	3	
	30	4:20											7	2	6	9	10	10	30	54	3	
	40	4:00											7	0	6	9	11	11	34	62	4	
	以下極度暴露限於災難搶救時使用																					
	60	4:00												7	4	9	12	18	18	36	66	5
	80	4:00												7	8	12	17	21	21	36	66	6
	100	4:00												7	12	15	20	23	23	36	66	7
	120	4:00												8	14	19	23	23	23	36	66	8

70.1公尺 (230呎) 氧氣濃度 最大16.3% 最小10.0%	10	4:40												7	0	0	3	10	10	14	22	2		
	20	4:20												7	0	3	4	7	10	10	24	44	3	
	30	4:20												7	0	5	7	10	10	10	31	57	3	
	40	4:00											7	0	3	7	9	13	13	13	34	64	4	
	以下極度暴露限於災難搶救時使用																							
	60	4:00												7	0	8	10	14	18	18	18	36	66	6
	80	4:00												7	3	10	14	18	23	23	23	36	66	7
	100	4:00												7	6	12	17	23	23	23	23	36	66	8
	120	4:00												7	7	16	19	23	23	23	23	36	66	8

73.2公尺 (240呎)	10	4:40												7	0	0	3	4	10	10	14	24	2
	20	4:40												7	0	3	5	7	10	10	25	46	3
	30	4:20											7	0	3	6	7	10	10	10	32	58	3
	40	4:20											7	0	5	8	9	14	14	14	35	64	4
	以下極度暴露限於災難搶救時使用																						
氧氣濃度 最大15.7% 最小10.0%	60	4:20											7	4	8	11	14	19	19	19	36	66	6
	80	4:20											7	7	11	16	18	23	23	23	36	66	7
	100	4:20											7	10	14	19	23	23	23	23	36	66	8
	120	4:00											7	3	12	17	19	23	23	23	36	66	8

76.2公尺 (250呎) 氧氣濃度 最大15.2% 最小10.0%	10	5:00												7	0	0	3	4	10	10	15	25	2	
	20	4:40												7	0	0	3	7	7	10	10	26	47	3
	30	4:40												7	0	4	6	8	10	10	10	32	60	4
	40	4:40												7	2	5	9	9	14	14	14	35	64	4
	以下極度暴露限於災難搶救時使用																							
60	4:20												7	0	7	9	12	16	21	21	21	36	66	6
80	4:20												7	3	9	13	15	21	23	23	23	36	66	7
100	4:20												7	6	11	14	19	23	23	23	23	36	66	8
120	4:20												7	8	13	19	20	23	23	23	23	36	66	8

79.3公尺 (260呎) 氧氣濃度 最大14.6% 最小10.0%	10	5:00								7	0	0	0	4	4	10	10	16	27	2
	20	5:00								7	0	3	4	6	7	10	10	27	50	3
	30	4:40								7	0	2	5	6	9	10	10	33	62	4
	40	4:40								7	0	3	8	9	10	15	15	35	64	5
	以下極度暴露限於災難搶救時使用																			
	60	4:40								7	3	7	10	14	16	21	21	36	66	6
	80	4:40								7	6	10	13	17	23	23	23	36	66	7
	100	4:20							7	2	9	13	16	20	23	23	23	36	66	8
	120	4:20							7	4	11	14	19	20	23	23	23	36	66	8

82.3公尺 (270呎) 氧氣濃度 最大14.2% 最小10.0%	10	5:20								7	0	0	3	3	4	10	10	17	28	2		
	20	5:00								7	0	0	3	6	6	8	10	10	29	52	3	
	30	5:00								7	0	3	6	6	9	13	13	34	62	4		
	以下極度暴露限於災難搶救時使用																					
	40	5:00								7	0	2	5	8	8	12	16	16	35	66	5	
	60	4:40									7	0	6	8	10	14	19	23	23	36	66	6
	80	4:40									7	3	8	11	14	17	23	23	23	36	66	7
	100	4:40									7	5	11	13	16	20	23	23	23	36	66	8
	120	4:40									7	8	12	16	19	20	23	23	23	36	66	8

85.4公尺 (280呎) 氧氣濃度 最大13.7% 最小10.0%	10	5:40								7	0	0	3	3	4	10	10	18	31	2		
	20	5:20								7	0	0	4	6	7	7	10	10	30	54	3	
	30	5:00								7	0	1	5	5	9	9	12	12	35	64	4	
	以下極度暴露限於災難搶救時使用																					
	40	5:00								7	0	4	6	8	9	12	17	17	35	66	5	
	60	5:00									7	4	6	8	12	15	18	23	23	36	66	7
	80	4:40								7	0	7	9	11	15	17	23	23	23	36	66	8
	100	4:40								7	2	9	11	15	17	20	23	23	23	36	66	8
	120	4:40								7	4	11	13	16	19	20	23	23	23	36	66	8

88.4公尺 (290呎) 氧氣濃度 最大13.3% 最小10.0%	10	5:40							7	0	0	0	4	3	4	10	10	19	33	2
	20	5:20							7	0	0	2	6	6	9	10	10	30	56	3
	30	5:20							7	0	2	5	5	9	9	14	14	34	63	5
	以下極度暴露限於災難搶救時使用																			
	40	5:20							7	0	5	7	8	11	13	17	17	35	66	5
	60	5:00						7	0	6	7	9	12	15	20	23	23	36	66	7
	80	5:00						7	2	8	10	12	16	19	23	23	23	36	66	8
	100	5:00						7	5	10	12	15	19	20	23	23	23	36	66	8
	120	5:00						7	8	11	16	17	19	20	23	23	23	36	66	8

91.5公尺 (300呎) 氧氣濃度 最大12.9% 最小10.0%	10	6:00							7	0	0	0	4	3	4	10	10	19	33	2	
	20	5:40							7	0	0	2	6	6	9	10	10	30	56	3	
	30	5:40							7	0	2	5	5	9	9	14	14	34	63	5	
	以下極度暴露限於災難搶救時使用																				
	40	5:40							7	0	5	7	8	11	13	17	17	35	66	6	
	60	5:20							7	0	6	7	9	12	15	20	23	23	36	66	7
	80	5:20							7	2	8	10	12	16	19	23	23	23	36	66	8
	100	5:20							7	5	10	12	15	19	20	23	23	23	36	66	8
	120	5:20							7	8	11	16	17	19	20	23	23	23	36	66	8

94.5公尺 (310呎) 氧氣濃度 最大12.5% 最小10.0%	以下極度暴露限於災難搶救時使用																				
	10	6:00							7	0	0	0	3	3	3	7	10	10	21	36	2
	20	5:40						7	0	0	2	4	5	6	7	10	10	10	31	57	4
	30	5:40						7	0	2	4	5	7	8	11	15	15	15	35	66	5
	40	5:20					7	0	1	4	6	7	8	12	15	19	19	19	36	66	7
	60	5:20					7	0	5	6	9	11	13	17	20	23	23	23	36	66	8
	80	5:20					7	3	7	9	11	13	17	20	23	23	23	23	36	66	8
	100	5:20					7	5	9	11	13	17	19	20	23	23	23	23	36	66	8
	120	5:20					7	7	12	13	16	17	19	20	23	23	23	23	36	66	8

97.6公尺 (320呎) 氧氣濃度 最大12.2% 最小10.0%	以下極度暴露限於災難搶救時使用																				
	10	6:20						7	0	0	0	4	3	3	7	10	10	21	38	2	
	20	6:00					7	0	0	3	5	5	6	8	10	10	10	32	59	4	
	30	5:40				7	0	0	4	4	6	7	9	11	17	17	17	35	66	5	
	40	4:40				7	0	4	4	6	7	9	12	16	20	20	20	36	66	6	
	60	5:20			7	0	2	6	8	9	11	14	17	23	23	23	23	36	66	8	
	80	5:20			7	0	6	8	8	13	14	19	20	23	23	23	23	36	66	8	
	100	5:20			7	2	7	10	13	16	17	19	20	23	23	23	23	36	66	8	
	120	5:20			7	4	9	12	13	16	17	19	20	23	23	23	23	36	66	8	

100.6公尺 (330呎) 氧氣濃度 最大11.8% 最小10.0%	以下極度暴露限於災難搶救時使用																				
	10	6:20						7	0	0	0	2	3	3	4	7	10	10	22	40	2
	20	6:00						7	0	0	2	3	4	6	5	10	10	10	33	60	4
	30	6:00						7	0	1	4	5	6	8	8	13	17	17	35	66	6
	40	5:40					7	0	1	4	5	7	7	10	12	17	22	22	36	66	7
	60	5:40					7	0	5	6	8	9	11	15	20	23	23	23	36	66	8
	80	5:40					7	2	7	8	10	13	15	19	20	23	23	23	36	66	8
	100	5:40					7	5	9	9	13	16	17	19	20	23	23	23	36	66	8
	120	5:20				7	1	7	10	13	15	16	17	19	20	23	23	23	36	66	8

103.7公尺 (340呎) 氧氣濃度 最大11.5% 最小10.0%	以下極度暴露限於災難搶救時使用																				
	10	6:40					7	0	0	0	3	3	3	4	7	10	10	23	41	3	
	20	6:20					7	0	0	2	4	5	7	8	9	10	10	33	60	5	
	30	6:00				7	0	0	3	5	5	6	8	9	13	18	18	35	66	6	
	40	6:00				7	0	2	4	6	7	8	10	13	16	22	22	22	36	66	7
	60	5:40			7	0	3	5	6	9	10	13	16	18	21	23	23	23	36	66	8
	80	5:40			7	0	7	7	8	11	13	15	19	20	23	23	23	23	36	66	8
	100	5:40			7	2	8	8	12	13	16	17	19	20	23	23	23	23	36	66	8
	120	5:40			7	4	9	11	13	15	16	17	19	20	23	23	23	23	36	66	8

106.7公尺 (350呎) 氧氣濃度 最大11.2% 最小10.0%	以下極度暴露限於災難搶救時使用																				
	10	6:40					7	0	0	0	2	2	3	3	5	7	10	10	24	43	3
	20	6:20					7	0	0	0	4	4	5	5	7	9	13	13	33	63	5
	30	6:20					7	0	1	4	4	5	7	8	11	13	18	18	36	66	6
	40	6:00				7	0	1	3	5	6	7	8	11	14	17	23	23	36	66	7
	60	6:00				7	0	5	5	8	8	11	12	16	19	23	23	23	36	66	8
	80	6:00				7	2	7	7	10	11	13	17	19	20	23	23	23	36	66	8
	100	5:40			7	0	6	8	9	11	15	16	17	19	20	23	23	23	36	66	8
	120	5:40			7	1	7	9	12	14	15	16	17	19	20	23	23	23	36	66	8

109.8公尺 (360呎) 氧氣濃度 最大10.9% 最小10.0%	以下極度暴露限於災難搶救時使用																					
	10	7:00					7	0	0	0	2	2	3	3	7	7	10	10	25	44	3	
	20	6:40					7	0	0	2	3	4	5	5	8	10	13	13	34	63	5	
	30	6:20				7	0	0	3	3	5	6	7	8	11	13	19	19	36	66	7	
	40	6:20				7	0	2	4	5	7	7	9	10	14	20	23	23	36	66	8	
	60	6:20				7	2	5	6	7	9	11	14	16	19	23	23	23	36	66	8	
	80	6:00			7	0	6	6	8	11	12	14	16	19	20	23	23	23	36	66	8	
	100	6:00			7	2	7	8	11	13	13	16	17	19	20	23	23	23	36	66	8	
	120	6:00			7	4	8	10	12	14	15	16	17	19	20	23	23	23	36	66	8	

112.8公尺 (370呎) 氧氣濃度 最大10.6% 最小10.0%	以下極度暴露限於災難搶救時使用																						
	10	7:00				7	0	0	0	0	3	3	3	3	7	7	10	10	25	46	3		
	20	6:40				7	0	0	0	3	4	4	5	5	8	10	13	13	34	63	5		
	30	6:20		7	0	0	2	3	4	4	7	7	8	11	16	19	19	19	36	66	7		
	40	6:20		7	0	0	4	4	5	6	6	10	11	14	20	23	23	23	36	66	8		
	60	6:20		7	0	4	5	7	6	9	11	13	17	20	23	23	23	23	36	66	8		
	80	6:00	7	0	3	6	7	9	10	12	15	17	19	20	23	23	23	23	36	66	8		
	100	6:00	7	0	6	7	9	10	14	15	16	17	19	20	23	23	23	23	36	66	8		
	120	6:00	7	1	7	9	11	13	14	15	16	17	19	20	23	23	23	23	36	66	8		

115.9公尺 (380呎) 氧氣濃度 最大10.4% 最小10.0%	以下極度暴露限於災難搶救時使用																						
	10	7:20				7	0	0	0	0	3	3	3	3	7	7	10	10	25	46	3		
	20	7:00				7	0	0	0	3	4	4	5	5	8	10	13	13	34	63	6		
	30	6:40			7	0	0	2	3	4	4	7	7	8	11	16	19	19	36	66	7		
	40	6:40			7	0	0	4	4	5	6	6	10	11	14	20	23	23	36	66	8		
	60	6:20			7	0	4	5	7	6	9	11	13	17	20	23	23	23	36	66	8		
	80	6:20	7	0	3	6	7	9	10	12	15	17	19	20	23	23	23	23	36	66	8		
	100	6:20	7	0	6	7	9	10	14	15	16	17	19	20	23	23	23	23	36	66	8		
	120	6:20	7	1	7	9	11	13	14	15	16	17	19	20	23	23	23	23	36	66	8		